

DDODLIGT

## **DATASHEET**

UNI EN ISO 9001:2015 UNI EN ISO 14001:2015 UNI ISO 45001:2018

## Clean-Room PU C-FC1810P

DINAFRICIONIC

PRODUCT		DIMENSIONS	C-FC1810P			
		Seat depth from lumbar support Backrest height from seat Seat depth Seat width Backrest height Backrest width Seat height	430 mm 410 mm 450 mm 470 mm 360 mm 420 mm 400-530 mm			
TECHNICAL DESCRIPTION						
Seat	Internal structure in recyclable techno-polymer anatomically shaped with integrated reinforcement ribs. Covered by a compound of soft integral polyurethane (PU-Soft), 40 mm (variable) thickness and 260 g/L density. BLK: Black (standard) GRY: Grey / BLU: Blue / RED: Red (optional instead of black color)					
Backrest	Structure of the backrest in polypropylene (PP), anatomically shaped and with reinforcing ribs.  BLK: Black (standard)  GRY: Grey RAL7040 / BLU: Blue RAL5002 / RED: Red (optional instead of black color)					
Back support	Supporting structure black color, in polyamide (PA) and fiberglass (PA 6 GF40), with reinforcing ribs.					
Mechanism	<b>GS:</b> GAS LIFT, seat height adjustable.					
Lift action	Central piston (Ø 28 mm) protected by steel tube (Ø 50 mm), black finish. Class 4 according to DIN 4550.					
Base	<b>0901C</b> : 5-star base (Ø 700 mm) in die-cast aluminum with internal reinforcement ribs. Polished finish. According to ANSI/BIFMA X5.1, BS 5459 A.5.1-A.5.5 and UNI EN 1335-3.					
Castors	<b>0311:</b> Soft castors (Ø 50 mm) in black nylon with non-marking polyurethane ring, self-braking.					
ACCESSORIES						
FC-SCH-PU	Backrest internal structure in recyclable techno-polymer anatomically shaped with integrated reinforcement ribs. Covered by a compound of soft integral polyurethane (PU-Soft), 20 mm (variable) thickness and 260 g/L density. Instead of PP backrest.  BLK: Black / GRY: Grey / BLU: Blue / RED: Red					
FC-STR-GRY	Supporting structure in Grey color. Instead of black color structure.					
M-0351	Glides in black nylon (h 55 mm / Ø 50 mm). Instead of castors.					
0703N	"T" shaped black nylon armrests.					
NO-OIL	Gas lift with sealing ring for oil and grease.					
TEST						

ISO 22196:2011 Measurement of antibacterial activity on plastic and other non-porous surfaces PTP 177.0/20 Measurement of antibacterial activity on surfaces

Rev. 0	01-09-2020	Clean-Room PU: C-FC1810P	Page 1 of 1